




Ring and circle shears

ZR 1001 • 1002 • 1235 • 2005

For cutting rings and circles in sheet metal




Standard configuration

- ✓ Standard blade
- ✓ Operation manual


Optional configuration

- Pneumatic material jig



Standard configuration

- ✓ Standard blade
- ✓ Foot pedal
- ✓ Automatic lubrication
- ✓ Operation manual



Standard configuration

- ✓ Standard blade
- ✓ Foot pedal
- ✓ Hydraulic clamp
- ✓ Automatic lubrication
- ✓ Operation manual

Optional configuration

- Hydraulic work piece clamping and pressure roller



Specifications		ZR 1001	ZR 1002	ZR 1235	ZR 2005
		40" x 20 Ga	40" x 14 Ga	47" x 10 Ga	78" x 3/16"
Max. workpiece diameter	mm	Ø1000 (40")	Ø1000 (40")	Ø1200 (47")	Ø 2000 (78.7")
Max. material thickness	mm	1.0 (0.04")	2.0 (0.08")	3.5 (0.14")	5.0 (0.2")
Rotation speed	m/min	-	7.5 (295"/min)	6.1 (240"/min)	4.1 (160"/min)
Travel of slide	mm	600 (23.6")	280 (11")	750 (29.5")	300 (11.8")
Throat	mm	200 (7.9")	700 (27.6")	250 (9.8")	1200 (47.2")
Main drive motor	kW	-	1.1 (1.5 Hp)	2.2 (3 Hp)	2.2 (3 Hp)
Dimensions (L/W/H)	mm	1200x200x350 (47x8x14")	1400x300x1200 (55x12x47")	2000x600x1400 (79x24x55")	2500x750x1400 (99x30x55")
Weight	kg	45 (100 lbs)	300 (660 lbs)	720 (1,580 lbs)	1350 (2,970 lbs)
Item No.		9901013	9901014	9901015	9901016

*The above specifications are subject to change without prior notice. No liability for printing mistakes. Machine may be shown with optional equipment.

Cutting

Turning

Milling

Drilling/Boring

Grinding

Sawing

Fabricating
Brakes • Shears • Ironworkers • Rolls • Presses • Other